



Corres. and Mail
BOX AF

MS AF
REPLY UNDER 37 C.F.R. § 1.116
EXPEDITED PROCEDURE
EXAMINING GROUP 3754

PATENT
2153-0128P

IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicant:	Douglas A. NEWBERG	Conf.:	3702
Appl. No.:	10/633,358	Group:	3754
Filed:	August 4, 2003	Examiner:	KEASEL, Eric S
For:	SANITARY DRAIN VALVE DESIGN		

AMENDMENT AFTER FINAL UNDER 37 C.F.R. § 1.116

MS AF

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

February 7, 2005

Sir:

In response to the Office Action dated April 6, 2004, and further to the Notice of Appeal filed on October 6, 2004 and the Advisory Action dated January 18, 2005, the following amendments and remarks are respectfully submitted in connection with the above-identified application. It should be noted that the period for response was extended two months to February 6, 2005 (Sunday) by the Amendment dated January 11, 2005. In addition, it is noted that this Amendment is supplemental to the Amendment filed on January 11, 2005.

This reply includes:

Amendments to the Claims; and
Remarks.

Do Not Enter
EIK 11 FEB 2005